### Introduction to Bioinformatics

EMBO Practical Course on Computational analysis of protein-protein interactions: From sequences to networks

Mon 28th September – Sat 3rd October 2015 TGAC, Norwich, UK

Monday 28th September 2015

Aidan Budd EMBL Heidelberg

License:



Please attribute to "Aidan Budd" For more info see <u>https://creativecommons.org/licenses/by/3.0/</u>

Aidan Budd, EMBL Heidelberg

### Lots of different bioinformatics resources

- I500+ listed in NAR database collection: www.oxfordjournals.org/our\_journals/nar/database/cap/
- most researcher use many tools, often meet new ones
  - e.g. you'll meet many during this course
- thus, ability to effectively and efficiently learn new tools, and critically interpret their results, is very useful

### Learning/critically assessing new tools

Things that can help us learn new tools:

- recognising common features of bioinformatics tools e.g.
  - unique record identifiers
  - cross-references to other resources
  - ontologies
- not trying to understand/learn all features of a tool
  - focus instead on those features most relevant to your questions

### Learning/critically assessing new tools

Things that can help us learn new tools:

- understanding link between the tool, and its reported results, to experimental data
  - accuracy of tool's results depends on the quality of this data
- effective searching for relevant information/help
  - search function in your web browser
  - Internet searching e.g. "uniprot phosphorylation" often more effective than using tool's own search engine
  - writing to mailing lists/developers/maintainers with questions
- domain-specific knowledge

### Using UniProt to illustrate these ideas

#### why UniProt?

extremely widely used, linked to, referenced to, protein bioinformatics resource

we'll explore it by considering the question: Can I trust the information/results I get from this tool?

(a question we hear quite often from biologists)

A UniProt record (http://www.uniprot.org/) describes the protein(s) associated with the a single gene in a single taxonomic group (usually "species")

e.g. http://www.uniprot.org/uniprot/P07550 is the record for: human Beta-2 adrenergic receptor the unique identifier of this record in the UniProt database is P07550

Records in SwissProt section of UniProt are manually annotated and reviewed

Top page of UniProt online manual gives the many different types of information that can be found in records http://www.uniprot.org/manual/

Let's try judging the accuracy of different information in a UniProt record

Information in a record depends on experimental observations of either:

A. protein/gene/entity described in that record - sometimes referred to as "direct assay"

B. other protein(s)/gene(s)/entiti(es) somehow "similar" to the protein(s)/gene(s)/entiti(es) described in the record - often referred to as a "**prediction**"

Information reported by many (most? all?) bioinformatics tools depends on either "direct assay" or "prediction"

#### direct assay examples

- atom positions in a 3D structural model viewed in e.g. Chimera
  - e.g. X-ray crystalography used to build a model describing locations of atoms of the molecule
- amino acid sequence described in a UniProt record
  - e.g. mass spectrometry used to measure the sequence of the protein

Information in a record depends on experimental observations of either:

A. protein/gene/entity described in that record - sometimes referred to as "direct assay"

B. other protein(s)/gene(s)/entiti(es) somehow "similar" to the protein(s)/gene(s)/entiti(es) described in the record - often referred to as a "prediction"

Information reported by many (most? all?) bioinformatics tools depends on either "direct assay" or "prediction"

#### prediction examples

- protein families reported by Pfam in a protein sequence
  - query sequence examined for similarity to sequences known to contain a given family
- intrinsically-unstructured regions reported by IUPred in a protein sequence
  - query sequence examined for similarity to sequences known to be IUP

Information in a record depends on experimental observations of either:

A. protein/gene/entity described in that record - sometimes referred to as "direct assay"

B. other protein(s)/gene(s)/entiti(es) somehow "similar" to the protein(s)/gene(s)/entiti(es) described in the record - often referred to as a "prediction"

Information reported by many (most? all?) bioinformatics tools depends on either "direct assay" or "prediction"

#### of course it's more complicated than that...

 human genomic sequence described e.g. in Ensembl - it depends on direct assay of genomic DNA to measure the sequence AND on clustering of many such sequences to assemble a model of the genomic sequence

Information in a record depends on experimental observations of either:

A. protein/gene/entity described in that record - sometimes referred to as "direct assay"

B. other protein(s)/gene(s)/entiti(es) somehow "similar" to the protein(s)/gene(s)/entiti(es) described in the record - often referred to as a "prediction"

Information reported by many (most? all?) bioinformatics tools depends on either "direct assay" or "prediction"

How we address the "trustworthiness" of results/output differs depending on whether it is based on "direct assay" or "prediction"

So it's important we can identify which of these a given result/output is

### "Direct Assay" information

examples of "direct assay" information in <u>http://www.uniprot.org/uniprot/P07550</u>

Gene involved in "activation of transmembrane receptor protein tyrosine kinase activity" (<u>Function</u>, GO - Biological Process; links to <u>PubMed article</u>)

Link to description of binary interaction with SRC (Interaction, Binary interactions; links to IntAct record)

Location of transmembrane helices (<u>Structure</u>, Show more details, Helix, link to <u>PDB record</u>)

Note the links to descriptions (e.g. articles) of direct assays in other resources

Database cross-references/x-refs make exploring reported data about the protein much easier than if they weren't there

### "Direct Assay" information

examples of "direct assay" information in <u>http://www.uniprot.org/uniprot/P07550</u>

Gene involved in "activation of transmembrane receptor protein tyrosine kinase activity" (<u>Function</u>, GO - Biological Process; links to <u>PubMed article</u>)

Link to description of binary <u>interaction</u> with SRC (Interaction, Binary interactions; links to <u>IntAct record</u>)

Location of transmembrane helices (<u>Structure</u>, Show more details, Helix, link to <u>PDB record</u>)

Note the use of structured descriptions of information (ontologies/controlled vocabularies) to find other entities assigned the same features

Ontologies can help organising and integrating "messy" biological data, particularly for automated analysis

### "Direct Assay" information

examples of "direct assay" information in <u>http://www.uniprot.org/uniprot/P07550</u>

Gene involved in "activation of transmembrane receptor protein tyrosine kinase activity" (<u>Function</u>, GO - Biological Process; links to <u>PubMed article</u>)

Link to description of binary interaction with SRC (Interaction, Binary interactions; links to IntAct record)

Location of transmembrane helices (<u>Structure</u>, Show more details, Helix, link to <u>PDB record</u>)

Note how we use the browser's "search" facility to navigate the page

Appropriate use of browser "search" can make it much easier to find the specific information we need from long webpages

Domain-specific knowledge of terms/entities relevant to our topic of interest make this easier i.e. knowing that IntAct could be a source of relevant information about interactions makes these links easier to find

### "Predicted" information

examples of "predicted" information in <u>http://www.uniprot.org/uniprot/P07550</u>

Some of the phosphorylation sites (<u>PTM/Processing</u>, Amino acid modifications, Serines 261 and 262)

Two glycosylation sites (N-linked (GlcNAc...) asparagine 6 and 15)

(Presumably via sequence similarity to sites in other proteins for which there is direct assay evidence of these modifications)

Lack of a link to the data on which these statements are based makes it very difficult to trace how/why these assertions are made

We notice again:

Database cross-references/x-refs make exploring reported data about the protein much easier than if they weren't there

### "Predicted" information

examples of "predicted" information in <u>http://www.uniprot.org/uniprot/P07550</u>

Some of the phosphorylation sites (<u>PTM/Processing</u>, Amino acid modifications, Serines 261 and 262)

Two glycosylation sites (N-linked (GlcNAc...) asparagine 6 and 15)

(Presumably via sequence similarity to sites in other proteins for which there is direct assay evidence of these modifications)

Almost all information in this record is either by direct assay.

Contrast with the UniProt record for the gorilla version of the gene, which has an **identical sequence to the human protein** 

http://www.uniprot.org/uniprot/G3QRR6

(Any suggestions on how we could check that their sequences are identical?)

# Possible reasons why "direct assay" annotation might be wrong

We judge how well we trust this information by considering **reasons why it might be inaccurate** 

Considering examples of this from http://www.uniprot.org/uniprot/P07550 e.g.

Gene involved in "activation of transmembrane receptor protein tyrosine kinase activity" (Ontologies, GO, Biological Process)

Link to description of "binary interaction" with SRC in IntAct

Write down, without discussing, a list of reasons why this information might be incorrect. For example:

"a human (or automatic) annotator assigned this information to the wrong protein"

I'll tell you when to stop this, and to then compare your list with your neighbour, and thus build a consensus list you both agree with

Then we'll discuss them all together.

# Possible reasons why "direct assay" annotation might be wrong

- experiments were fraudulent
- experiments were carried out improperly i.e. the experiments were repeated "correctly" you'd get a different, more accurate result
- experiments were correctly carried out but inappropriately functionally interpreted by experimenters and/or annotators e.g. transient over-expression results used to draw conclusions about localisation. Put differently: the conclusion drawn from the correctlyconducted experiment is inappropriate
- experimental results mistakenly assigned to the wrong entity
- the assay has low accuracy "the assay may be direct, but the assay sucked e.g. has lots of false positives and/or false negatives"

## How could you go about checking for potential wrong "direct assay" information?

What could/should you do to avoid serious consequences of such "wrong" data?

Again, think about this by yourself, then compare notes with your neighbour, and then we'll discuss it all together

For example: look for multiple, somewhat independent, experiments which reach the same conclusion

## How could you go about checking for potential wrong "direct assay" information?

before you spend ages trying to determine if something is correct, remember you can't check everything!

Effort invested in checking should depend on how crucial its accuracy is for your work!

- look for multiple, somewhat independent, experiments from which you reach the same conclusion e.g.:
  - •experiments done in different labs
  - •different experimental methods used
  - •different source of reagents
- learn which methods are commonly used inappropriately e.g. transient over-expression to indicate localisation
- you can sometimes spot fraud in figures e.g. by noticing duplicated bands, obvious photoshopping of gels etc.
- carefully read primary paper/evidence critically and carefully to spot potential problems

## How could you go about checking for potential wrong "direct assay" information?

before you spend ages trying to determine if something is correct, remember you can't check everything!

Effort invested in checking should depend on how crucial its accuracy is for your work!

- repeat the experiment yourself in the lab
- carry out a yourself in the lab a different analysis/experimental approach to look for additional evidence to support the conclusion
- ask (several) expert(s) for their opinions check papers that cite a given result, looking for any that contradict it
- community annotation to highlight potentially wrong information e.g. https://pubpeer.com/

# Possible reasons why "predictions" might be wrong

How do we (ideally) predict function/structure?

- I. Collect a set of "true positives" (TPs) i.e. features that you believe have the property you want to predict (e.g. residues that you believe are phosphorylated in some cellular contexts)
- 2. Collect a set of "true negatives" (TNs) i.e. features you believe do not have property you want to predict (e.g. residues you believe are not phosphorylated in similar cellular contexts - can be very tricky to find)
- 3. Choose a way of scoring/classifying unknown features (e.g. amino acid sequences) according to how similar they are to features in these two sets.
- 4. If a query feature is much more similar to TPs than TNs by this similarity measure, then you predict the query feature is likely to be also a positive

# Possible reasons why "predictions" might be wrong

To judge how much to trust this information, we need to think about the reasons why it might be inaccurate

Considering examples of this from http://www.uniprot.org/uniprot/P07550 e.g.

Several phosphorylation sites

Two glycosylation sites

Again:

Make, for yourself, a list of reasons why this might be the case - for example there are only small differences between TPs and TNs on average using a given similarity measure

Then compare your list with those of your neighbour - and build a consensus list

Then we'll discuss them together

# Possible reasons why "predictions" might be wrong

I. training sets contain wrongly-assigned features (e.g. some of the sites listed as "phosphorylated" aren't, some that are listed as "nonphosphorylated" are) could be due to fraud, badly-carried out experiments, mis-interpreted experiments (by experimenters and/or curators):

In particular it can be difficult/impossible to identify genuine TNs

2. information used for prediction does not contain all that is needed to distinguish P from N:

e.g. a particular activity is only relevant in a particular sub-cellular localisation; without that data, you're going to have a bad predictor e.g. RGD motifs only interact with integrin extracellularly

3. there are only small differences between TPs and TNs on average using a given similarity measure (related to 2 - both are due to problems with the similarity measure)

## How could you go about checking for potential wrong predictions?

What could/should you do to avoid serious consequences of such "wrong" data?

Again, think about this by yourself, then compare notes with your neighbour, and then we'll discuss it all together

For example: check whether several non-identical analyses giving the same/similar answers - this increases our confidence in the prediction

## How could you go about checking for potential wrong predictions?

again...

before you spend ages trying to determine if something is correct, remember you can't check everything!

Effort invested in checking should depend on how crucial its accuracy is for your work!

- check whether several non-identical analyses giving the same/similar answers - this increases our confidence in the prediction
- critically examine the training sets, and similarity measures, used to build the tool (typically by reading the publication describing the tool) to identify possible inaccuracies - if two results give contradictory predictions, use this reading to try and decide which is more likely to be correct

#### Protein modules:

Protein regions associated with specific functions/activities of the protein that, if isolated from the rest of the protein, retain similar activity/function



Many modules are found in many different proteins, where they are associated with similar activities

e.g. PFAM shows some of the proteins predicted to contain a kinase domain

There are 70220 sequences with the following architecture: Pkinase Q9YH61 DANRE [Danio rerio (Zebrafish) (Brachydanio rerio)] Uncharacterized protein (440 residues) Rkinase	
Show all sequences with this architecture.	
There are 3505 sequences with the following architecture: Pkinase x 2 SRPK3_MOUSE [Mus musculus (Mouse)] SRSF protein kinase 3 EC=2.7.11.1 (565 residues) Pkinase	
Show all sequences with this architecture.	
There are 1200 sequences with the following architecture: Pkinase, Pkinase_C  Q9W6Y9 XENLA [Xenopus laevis (African clawed frog)] Kinase (501 residues)  Pkinase Show all sequences with this architecture.	
There are 1157 sequences with the following architecture: Pkinase, PASTA x 3           QOPIH7_HELMO         [Heliobacillus mobilis]         Ser/Thr protein kinase         (634 residues)           Pkinase         Pkinase         Pkinase         Pkinase         Pkinase	
Show all sequences with this architecture.	
There are 692 sequences with the following architecture: Lectin_legB, Pkinase          Q0DY65_ORYS1       [Oryza sativa subsp. japonica (Rice)]       Os02g0712700 protein (747 residues)         Lectin_legB       Pkinase       Show all sequences with this architecture.	
There are 689 sequences with the following architecture: Pkinase, PASTA x 4 Q1B026 RUBXD [Rubrobacter xylanophilus (strain DSM 9941 / NBRC 16129)] Serine/threonine protein kinase (666 residues)	
There are 683 sequences with the following architecture: PBD, Pkinase          STE20_YEAST       [Saccharomyces cerevisiae (strain ATCC 204508 / S288c) (Baker's yeast)] Serine/threonine-protein kinase STE20 EC=2.7.11.1 (residues)         Pkinase       Pkinase         Show all sequences with this architecture.	(939
There are 680 sequences with the following architecture: Pkinase, CNH  M4K4 MOUSE [Mus musculus (Mouse)] Mitogen-activated protein kinase kinase kinase kinase 4 EC=2.7.11.1 (1233 residues)  Pkinase CNH Show all sequences with this architecture.	

Many modules are found in many different proteins, where they are associated with similar activities

e.g. ELM instances of LIG\_SH3\_3 SH3-domain binding motif

16 Instances for LIG SH3 3

Protein Name	Gene Name	Start	End	Subsequence	Logic	#Ev.	Organism	Notes
P73_HUMAN	ЭТР73	407	413	HLQPPS YGPVLSPMNKVHGG	ТР	1	ප Homo sapiens (Human)	
WASF1_MOUSE	ිWasf1	319	325	AGRTPV <u>FVSPTPP</u> PPPPPLP	ТР	1	응 Mus musculus (House mouse)	
ିLAS17_YEAST	ିLAS17	216	222	TASAPT <u>TPAPALP</u> PASPEVR	ТР	2	응 Saccharomyces cerevisiae (Baker''s yeast)	
SOS1_MOUSE	ිSos1	1135	1141	GTDEVP <u>VPPPVPP</u> RRRPESA	ТР	1	응 Mus musculus (House mouse)	2GBQ
CY24A_TURTR	ാсува	154	160	IKQPPS <u>NPPPRPP</u> AEARKKP	ТР	1	응 Tursiops truncatus (Bottlenosed dolphin)	
CY24A_TURTR	ാсува	149	155	QVGGTI <u>KQPPSNP</u> PPRPPAE	ТР	1	응 Tursiops truncatus (Bottlenosed dolphin)	
CY24A_TURTR	ാсува	153	159	TIKQPP <mark>SNPPPRP</mark> PAEARKK	ТР	1	ミTursiops truncatus (Bottlenosed dolphin)	
ORF3_HEVBU	ିORF3	102	108	RPSAPPL <u>PHVVDLP</u> QLGPRR	ТР	3	ප Hepatitis E virus (strain Burma)	
TIP_SHV24	0	135	141	DPGMPK <u>PTLPPRP</u> ANLGASQ	ТР	1	운 Herpesvirus saimiri (strain 484-77)	
NS1_172A2	ିNS	161	167	AIVGEI <u>SPLPSFP</u> GHTIEDV	ТР	4	ප Influenza A virus (A/Udorn/307/1972(H3N2))	
ିCD2_HUMAN	ିCD2	294	300	HRSQAP <mark>SHRPPPP</mark> GHRVQHQ	ТР	2	운 Homo sapiens (Human)	14
DAG1_HUMAN	ාDAG1	888	894	KGSRPKNMTPYR <mark>SPPPYVP</mark> P	ТР	2	운 Homo sapiens (Human)	24
TIP_SHV24	Э	132	138	ESWDPG <u>MPKPTLP</u> PRPANLG	ТР	1	운 Herpesvirus saimiri (strain 484-77)	1
ORF3_HEVBU	ORF3	93	99	HSAPLG <u>VTRPSAP</u> PLPHVVD	ТР	3	응 Hepatitis E virus (strain Burma)	2
BIN1_HUMAN	ිBIN1	308	314	SQLRKG <u>PPVPPPP</u> KHTPSKE	ТР	6	운 Homo sapiens (Human)	14
TAU_HUMAN	Эмарт	213	219	GSRSRT <u>PSLPTPP</u> TREPKKV	ТР	2	운 Homo sapiens (Human)	1"- 14

Looking for a source of hypotheses for the function of a protein?

e.g. because you want to choose some appropriate bench science experiments to carry out on this protein?

Using bioinformatics tools to predict the modular architecture of your protein can be a great source of such hypotheses